

# FACILITY MRO | SAFETY & ABSORBENTS



**Schedule**  
Contract # GS-07F-9452S  
Contract # GS-06F-0091S

**1-877-626-8350**





## Application Chart

### TYPE OF SPILL

ACID	<b>SURE SORB™ A</b>	Use with Acid-Based Spills		
CAUSTIC	<b>SURE SORB C</b>	Use with Caustic-Based Spills		
OIL-BASED	<b>SPILL MATE™</b>	Petroleum-Based Spill Absorbent		
WATER-BASED	<b>HI'N DRI™</b>	<b>OOPS!™</b>	Absorbent for Water-Based Spills      Powdered Absorbent	
SPECIALTY	<b>SPILL SHARK®</b>	<b>FILLABLE PILLOW</b>	<b>FILLABLE SOCK</b>	<b>BODY FLUID KIT, C/M</b>
	<b>MOBILE SPILL KIT</b>	Absorbent Pillows	Absorbent Socks	Water-Based Body Fluid Spills

### SAFETY

SLIP	<b>ALERT GUARD®</b>	Invisible Sign® Kit		
ICE MELTING	<b>EXOTHERM™</b>	<b>FROSTI™ AEROSOL</b>	<b>IMC-33™</b>	<b>ARCTIC THAW™</b>
	Pelitized Ice Melting Compound	Spray De-Icer	Liquid Ice Melting Compound	Liquid Ice Melter



## ALERT GUARD® INVISIBLE SIGN® KIT

### Three Different Signs Available

The Alert Guard Invisible Sign is only seen when the concrete is wet. It eliminates response times, will not fade, contains no VOC's, odors, or fumes, and is easy to apply. Simply spray over the stencil where desired.

**APPLICATIONS:** Recommended for use in amusement parks, water parks, parking lots, steps and stairways, retail centers, stadiums, or anywhere else slipping may occur. Works only on cured and unsealed concrete.

Available in a 4" or 7" version as well as the International slip and fall symbol.



## ARCTIC THAW™

### Liquid Ice Melter

Arctic Thaw is a concentrated liquid containing inorganic salts and corrosion inhibitors for melting ice and snow down to -20°F. It assists in removing ice buildup on sidewalks and driveways by penetrating the ice and breaking the bond with the pavement surface. Its fast, effective melting action on ice and snow helps prevent freeze-thaw spalling damage on concrete and helps reduce metal corrosion.

**APPLICATIONS:** Use undiluted on localized areas such as sewage plant trickling filters, building entrances, steps, bridges, intersections, crosswalks, culverts, loading docks, ramps, sidewalks, and other high-traffic areas. Can be effectively used as a pre-wetting agent for rock salt or applied to storage mounds of rock salt to keep them from freezing.



## BODY FLUID KIT, C/M

Check-Mark™ Body Fluid Kit provides personal protective equipment and materials necessary to clean up water-based body fluid spills such as vomit, urine, and blood. It also has a handy reference card that describes how to clean up a spill. The kit is packaged in a plastic case that has a carrying handle or can be wall mounted.

**KIT CONTENTS:** 1 plastic case that contains the following materials: 1 disposable gown, 1 eye shield, 1 pair disposable shoe covers, 1 pair rubber gloves, 1 packet (21 grams) fluid absorber, 1 scoop, 2 (10 gallon capacity, each bag) biohazard disposal bag, 2 clear bags, 3 disposable clean-up towels, 3 antiseptic cleansing wipes, 2 germicidal wipes, 1 body fluid pick-up guide



## BRUSH OFF™, M/M

### Concrete Oil Stain Remover

Multi-Mist™ Brush Off concrete oil stain remover is a ready to use orange-oil-based concrete and masonry cleaner that contains biodegradable surfactants and is phosphate free. It works by first liquefying grease and then absorbing the liquid. It is effective on old grease and oil that resists many other cleaners.

**APPLICATIONS:** Recommended for oil stain removal on unsealed concrete.





## EXOTHERM™

### Pelletized Ice-Melting Compound

Exotherm is a calcium chloride ice melting compound that combines exothermic action and freeze point protection to melt ice and snow off of sidewalks, driveways, loading docks, parking lots, and roads.

**APPLICATIONS:** To use, spread a thin layer of product with a shovel or similar aid. Use only as much as is needed.



## FILLABLE ABSORBENT PILLOWS

Fillable Absorbent Pillows are reusable, chemical-resistant bags designed to contain granular absorbent materials. They allow the pickup of liquid chemical spills without the inconvenience caused by loose absorbent materials.

**COMPANION PRODUCTS:** Spill Mate™, Hi'N Dri™

**APPLICATIONS:** Recommended for use with a granular absorbents.



## FILLABLE ABSORBENT SOCKS

Fillable Absorbent Socks are reusable, chemical-resistant socks designed to contain granular absorbent materials. They allow the pickup of liquid chemical spills without the inconvenience caused by loose absorbent materials.

**COMPANION PRODUCTS:** Spill Mate™, Hi'N Dri™

**APPLICATIONS:** Recommended for use with a granular absorbents.



## FROSTI™

### Spray De-Icer for Car Windows

Frosti aerosol defrosts car windows instantly and loosens and melts ice. It frees and prevents frozen locks, removes ice off car lights and office and store windows. It is harmless to car finishes.

**APPLICATIONS:** Recommended for removing ice from car windows, door locks, and lights.





## HI'N DRI™

### Absorbent for Water-Based Spills

Hi'N Dri absorbs the spill and allows you to quickly clean it up before serious damage occurs. It is easy to use, nonflammable, and absorbs up to 300 times its own weight. Water-based spills can create serious safety and environmental problems, including slip hazards, stains, fumes, odors, and environmental damage.

**APPLICATIONS:** Recommended for use on water-based parts-washing and metalworking fluids, water-based paints and inks, compressor condensates, machine coolants, mop water, runoff water, equipment cleaning waste liquid, steam and hot tank cleaner detergents, dip tanks, water-based dyes, water-based solvents, blood, urine, vomit, sewage overflow, used treated cooling tower and boiler water, etc.



## IMC-33™

### Liquid Ice Melting Compound

IMC-33 is a liquid, glycol-based, ice-melting compound. Works to reduce the freezing point of water. Chemically penetrates ice, lowers the water's freezing point, and returns ice to liquid form.

**APPLICATIONS:** This product is recommended for areas such as the following: building entrances, steps, crosswalks, loading docks, ramps, sidewalks, and other dangerous spots.



## OOPS!™

### Powdered Absorbent

Oops! instantly absorbs water-based spills including body fluids and vomit. The unique formula absorbs up to 100 times its own weight and deodorizes messes while it works to keep areas smelling fresh.

**APPLICATIONS:** Recommended for use in grocery stores, department stores, restaurants, hotels and motels, office buildings, industrial facilities, veterinary clinics, day care centers, schools, airports, buses, police cars, police stations, prisons, emergency vehicles, clinics, hospitals, nursing homes, and other public places where accidents occur.



## SPILL MATE™

### Petroleum-Based Spill Absorbent

Spill Mate instantly bonds to petroleum-based spills on hard surfaces and to floating spills on water, turning them into solids for easy removal and a safer working environment. It provides powerful protection against the safety hazards of petroleum-based spills in the workplace and is capable of absorbing up to 14 times its own weight. It is nonflammable, non-abrasive, silica-free, and will not absorb water.

**APPLICATIONS:** Recommended for use on volatile hydrocarbon spills such as gasoline, diesel, jet fuel, and other petroleum-based spills.





## SURE SORB™ A

### For Use With Acid-Based Spills

Sure Sorb A is a polymer-carbonate blend designed to clean up water-based acid spills. It rapidly absorbs, neutralizes, and encapsulates the spill and then changes color from yellow to purple when the spill is neutralized.

**APPLICATIONS:** Recommended for use on acid-based spills.



## SURE SORB™ C

### For Use With Caustic-Based Spills

Sure Sorb C is a polymer-citric acid blend designed to clean up water-based caustic spills. It rapidly absorbs, neutralizes, and encapsulates the spill and then changes color from red to yellow when the spill is neutralized.

**APPLICATIONS:** Recommended for use on water-based caustic spills.



## SPILL SHARK® MOBILE SPILL KIT

The Spill Shark Mobile Spill Kit is a handy, nylon carrying bag that contains several absorbent materials which have been selected to allow a response for a variety of petroleum, solvent, and lubricant spills.

**APPLICATIONS:** Recommended for use in laboratories, classrooms, and trucks.

**CONTENTS:** 10 polypropylene oil absorbent pads, 1 nylon bag, 1 pair nitrile gloves, 1 pair safety goggles, 1 stick of M/M Quick Cure™, 2 lb of petroleum-based absorbent.



## Placing your order is EASY!

**Call us** – TOLL-FREE 1-877-626-8350, in USA. Monday - Friday, 8 a.m. to 5 p.m. CST.

**Fax us** – Send to 972-438-0634, in USA.

Be sure to include your name and number on the faxed document in case we need to contact you.

**Email us** – GovernmentSales@Mantek.com

[www.mantek.com/gov](http://www.mantek.com/gov)





# FACILITY MRO | ADHESIVES & PATCHINGS







## Application Chart

### TYPE OF ADHESIVES & PATCHINGS

METAL REPAIR	<b>QUICK CURE™, M/M</b> Steel-Filled Repair Compound					
CONCRETE REPAIR & TREATMENT	<b>FLEXI-FILL™, U/L</b> Latex Crack Filler	<b>POXIPATCH™</b> Concrete/Metal Resurfacing and Repairing Compound	<b>MAGNA PATCH™</b> Concrete Repairing and Anchoring Compound	<b>CORE STRENGTH™</b> Penetrating Concrete Treatment		
ROOF REPAIR	<b>QUICKSILVER™, M/M</b> Aerosol Roof and Gutter Patch	<b>ROOF-A-LEX™</b> Glass-Fibered Roof Patching Compound				
PLUMBING REPAIR	<b>WRAP IT UP™, M/M</b> Polymer-Reinforced Patching Kit	<b>WONDER WRAP™, M/M</b> Self-Fusing Tape	<b>QUICK CURE, M/M</b> Steel-Filled Repair Compound			
ASPHALT REPAIR	<b>STRONG PATCH™</b> All-Weather Patch and Pave Material					
GENERAL PATCHES	<b>IRON CRETE™</b> Multi-Purpose Patching Compound					
THREADLOCKERS	<b>HEAVY DUTY THREAD LOCKER, M/M</b>	<b>PENETRATING THREADLOCKER, M/M</b>				
ADHESIVES	<b>INSTANT ADHESIVE, M/M</b> Instant Adhesive	<b>FIX-ALL™, M/M</b> Multi-Purpose Adhesive and Sealant	<b>PERMASTICK™, M/M</b> Adhesive Gel	<b>DURAHOLD™, M/M</b> Aerosol Contact Adhesive	<b>CLEAR ADHESIVE SEALANT, M/M</b> Clear Silicone Sealant	<b>GASKET MAKER, M/M</b> Red or Blue Silicone Gasket Maker



## CLEAR ADHESIVE SEALANT, M/M

### Clear Silicone Sealant

Multi-Mist™ Clear Adhesive Sealant can form almost any size seal in minutes because it rapidly cures as the product reacts with moisture in the air. It bonds and seals to metal, glass, wood, ceramic, painted surfaces, and most plastics. It is effective from -60°F to 450°F.

**APPLICATIONS:** Recommended for use anywhere a clear, weatherproof elastic seal is needed – cracks in machinery, HVAC ductwork, plumbing fixtures (including PVC pipe), electrical connections, flanges, glass gauges and meter covers, joints and cracks in truck trailers, interior and exterior windows, windshields, sunroofs, skylights, lights, door joints, shower doors, porcelain and tile, freezer doors, gutters and downspouts, and more.



## DURAHOLD™, M/M

### Contact Adhesive

Multi-Mist™ Durahold aerosol is an all-purpose adhesive developed for making industrial-strength repairs of hard-surface materials indoors or out. It can be used on any combination of metal, wood, many plastics, concrete, and most other hard surfaces; effective for metal-to-metal bonds. Provides permanent, “weld-strength” bonds; just spray on and allow to set.

**APPLICATIONS:** Recommended for use on aluminum and vinyl siding, baseboards, countertops, gutters, kick plates, linoleum, paneling, roof flashing, signage, truck trailers, vinyl tile, wood flooring, wooden desks, etc.



## FIX-ALL™, M/M

### Multi-Purpose Adhesive and Sealant

Multi-Mist™ Fix-All is a one-part formula that uses a mechanical locking action to bond to almost any material, then seals out moisture, salt, and abrasives. It also resists wear and will not tear apart under extreme stresses. It is highly flexible, as well as shock- and vibration-resistant.

**APPLICATIONS:** Recommended for use on metal, glass, most plastics, vinyl, PVC, and on porous surfaces such as wood and cinder block.



## FLEXI-FILL™ GREY, U/L

### Latex Crack Filler

Ultra-Last™ Flexi-Fill uses a special latex base that provides quick easy repair of surface cracks in concrete floors. This saves the concrete from having to be replaced. Easy to use because it pours directly into the crack. Can be used in both indoor and outdoor applications. Will not crack or lose its hold due to outstanding adhesion as well as flexibility. Forms an all-weather-resistant watertight seal to prevent further damage.

**APPLICATIONS:** Recommended for use on any concrete surface.





## GASKET MAKER (BLUE), M/M

### 100% RTV Silicone Gasket Maker

Multi-Mist™ Blue Gasket Maker forms almost any size or shape gasket in minutes. Replaces most cork, paper, asbestos, felt, and metal gaskets. When cured, it has the consistency of hard rubber. RTV stands for “room temperature vulcanization,” which means this product cures at room temperature and does not need to be heated to cure properly. Replaces seals on oil and transmission pans, pumps, gearboxes, and many more. Very durable and remains flexible for many years under extreme conditions.



**APPLICATIONS:** Recommended for creating customized gaskets for automotive oil and transmission pans.

## GASKET MAKER (RED), M/M

### 100% RTV Silicone Gasket Maker for High-Temperature

Multi-Mist™ Red Gasket Maker can be used to seal and bond almost any clean, dry surface such as glass, metal, wood, ceramic, and most plastics. When cured it has the consistency of hard rubber. RTV stands for “room temperature vulcanization,” which means this product cures at room temperature and does not need to be heated to cure properly. Multi-Mist Red Gasket Maker is effective from -60°F to 500°F, 600°F in intermittent use.



**APPLICATIONS:** Recommended for use on oil and transmission pans, timing chain covers, gearboxes, oil and water pumps, compressors, electric motors, and other general-purpose industrial uses.

FACILITY MRO  
ADHESIVES & PATCHINGS

## HEAVY DUTY THREAD LOCKER, M/M

### Adhesive Sealant for Studs and Bolts

Multi-Mist™ Heavy Duty Thread Locker is a ready-to-use, self-hardening locker for all fasteners, including studs and bolts. It prevents fasteners from coming loose when exposed to vibration and is effective from -65°F up to 300°F. It also reduces torque requirements by 10 - 25% compared to dry fasteners. It forms a permanent bond after curing and is cured by pressure, not air. Once cured it is resistant to acids, solvents, and moisture. It is perfectly suited for use on exotic alloys such as stainless steel, Cu-Ni, and Superalloys and is compatible with all metallic platings.



**APPLICATIONS:** Recommended for use on high-strength fasteners, such as US Grades 5 and 8, and Metric Grades 8.8, 10.9, 12.9, and 14.9 (including socket cap screws and set screws).



## INSTANT ADHESIVE, M/M

### Instant Adhesive

Multi-Mist™ Instant Adhesive is an excellent all-purpose adhesive for fast, permanent bonding. It resists moisture, solvents, and fatigue. It has an anaerobic set, which means it will cure without air. This product is pressure-activated unless Multi-Mist™ Quick Hold™ is used.

**APPLICATIONS:** Recommended for use on metal, plastics, rubber, glass, ceramic, and other non-porous surfaces.



## IRON-CRETE®

### Multi-Purpose Patching Compound

Iron-Crete patches and repairs holes, cracks, breaks, ruptures, and worn, rusted, or corroded surfaces. It bonds to damp surfaces such as water pipes, swimming pools, and tanks (not in standing water). Iron-Crete also eliminates the hazard of welding around flammable materials and may be sanded, machined, drilled, tapped, and painted. It dries completely in 3 to 4 hours and cures overnight.

**APPLICATIONS:** Recommended for making permanent repairs to metal, wood, concrete, ceramics, glass, plastic, and other rigid surfaces.



## MAGNA-PATCH™

### Concrete Repairing and Anchoring Compound

Stronger than concrete with the same bulk density and sets up in a fraction of the time for minimal downtime and traffic interruption. It's easy to mix and apply, requires no special personnel or equipment. Can be feathered for smooth and strong bond to concrete. Magna-Patch creates a permanent bond so the repair becomes part of the structure. Does not shatter: excellent for anchoring machinery and vibrating equipment. In 28 to 30, days Magna-Patch will be up to twice as strong as concrete!

**APPLICATIONS:** Recommended for use in repairing and rebuilding curbing, bridges, floors, roadways, and other concrete surfaces, as well as for anchoring machinery and vibrating equipment.



## PENETRATING THREADLOCKER, M/M

### Adhesive Sealant for Pre-Assembled Parts

Multi-Mist™ Penetrating Threadlocker actually penetrates into pre-assembled parts to help hold threaded components firmly. Prevents having to disassemble because it can be applied to parts that are already in place. Locks, seals, and mounts to prevent nuts, screws, and bolts from loosening. Cures quickly to minimize downtime.

**APPLICATIONS:** Recommended for use on pre-assembled fasteners, instrumentation screws, electrical connectors, and any equipment subject to heavy vibration.





## PERMASTICK™, M/M

### Adhesive Gel

Multi-Mist™ Permastick is an instant adhesive that will not drip or run when applied. It can be applied vertically, horizontally, or overhead on any surface. Cures quickly to further prevent running or dripping and is easy to use and effective for application on any surface that other adhesives run off of.

**APPLICATIONS:** Recommended for joining parts of metal, ceramic, wood, rubber, plastic, glass, and other non-porous surfaces.




## PIPE SEALANT, M/M

### Pipe Sealant

Multi-Mist™ Pipe Sealant cures at room temperature and has a low break-loose strength to permit easy disassembly if needed. It is effective from -65°F to 350°F.

**APPLICATIONS:** Recommended for sealing pipes and fittings on air conditioning and refrigeration equipment, hydraulic and pneumatic systems, water and chemical processing equipment, and oil and gas line fittings.



## POXIPATCH™

### Concrete and Metal Resurfacing and Repairing Compound

Poxipatch is a three-component epoxy patching and resurfacing material for use on concrete or metal and wood floors. Provides a non-slip surface that is durable and non-shrinking. Easy to apply with a trowel or concrete spreading equipment. Requires no special attention once it is set. It can be left alone, painted, or covered with flooring material.

**APPLICATIONS:** Recommended for resurfacing concrete, wood, and metal floors.



## QUICK CURE™, M/M

### Steel-Filled Repair Compound

With Multi-Mist™ Quick Cure, repair jobs on equipment, machinery, pipes, and fixtures are made easy. Cuts off, mixes, and applies for easier, more convenient application. Steel-filled epoxy can be drilled, filed, painted, sanded, tapped, and threaded. Withstands heat, vibration, heavy loads, and high impact. Resists water, chemicals, and corrosion.

**APPLICATIONS:** Recommended for use on seals, pipes, radiators, plumbing, ductwork, molds and welds, castings, oversized bolt holes, water pumps, oil pumps, impellers, roofs, gutters, downspouts, light fixtures, floor tile, railings, fences, furniture, swimming pools, boats, joints, and seams.



FACILITY MRO  
ADHESIVES & PATCHINGS



## QUICK HOLD™, M/M

### Adhesive Accelerator

Multi-Mist™ Quick Hold causes cyanoacrylate adhesives to cure instantly even if there is no pressure being applied. This allows for use on surfaces that are too delicate or too small to have pressure applied. Multi-Mist Quick Hold can simply be sprayed on the surface prior to application of the adhesive or sprayed over the adhesive to set it. This product is especially useful in the electronics industry, where cyanoacrylate adhesives and a rapid curing agent are often used to hold delicate electronic parts in place while they are being soldered.

**APPLICATIONS:** Recommended for use with M/M Permastick™, M/M Instant Adhesive, or other cyanoacrylate adhesives to speed curing time.



## QUICKSILVER™, M/M

### Roof and Gutter Patch

Multi-Mist Quicksilver aerosol allows for small roof and gutter repairs to be done quickly with the ease and convenience of an aerosol. It will not freeze or crack and is chemical-resistant. It can be used on all roof surfaces.

**APPLICATIONS:** Recommended for use on mobile homes, roofs, gutters, downspouts, and flashings; excellent for repairing cracks, tears, split seams, and thin spots.



## ROOF-A-LEX™

### Glass-Fibered Roof Patching Compound

Roof-A-Lex provides fast, permanent roof repairs under all weather conditions. It quickly and easily seals roofs with only one step. Requires no heat, stirring, or thinning.

**APPLICATIONS:** Recommended for use to fill and seal holes, cracks, loose or torn seams, cracks in chimneys, cracked parapet walls, foundations and walls, leaks around vent pipes; spouts, valleys, skylights and gutters; construct and repair flashings, line leaky gutters and troughs, patch brittle, blistered, or dried-out areas; bubbles and bulges, rusted gutters, loosened joints, and makes an excellent sewer lid cushion.



## STRONG PATCH™

### All-Weather Patch and Pave Material

Strong Patch is a combination of fine aggregate blended with a pliable asphaltic material, providing quick roadway repairs in any kind of weather. It can be applied in rain, snow, heat wave, or temperatures as low as 15°F. It is suitable for blacktop, concrete, brick, cinderblock, stone, or any solid exterior base.

**APPLICATIONS:** Recommended for use on any roadway, parking lot, driveway, or paved surface.







## WHITE SILICONE SEALANT, M/M

### RTV Silicone Sealant

Multi-Mist™ White Silicone Sealant is a 100% silicone RTV sealant that forms to any size or shape in minutes. It creates a uniform bond, dries in 1 hour, and cures fully in 24 hours. It is effective from -60°F to 450°F, and is mildew-resistant.

**APPLICATIONS:** Recommended for sealing cracks in machinery, heating and ventilating ductwork, plumbing fixtures, electrical connections, low-pressure water and drain pipes; Ideal for caulking windows, doors, walls and ceiling cracks and crevices; bonds nameplates, machinery flanges, glass, signs and electrical insulation, and more.




## WONDER WRAP™, M/M

### Self-Fusing Tape

Multi-Mist Wonder Wrap forms a durable, uniform, one-piece seal to provide temporary and/or long-term protection even during immersion in water. Resists abrasion, impact, sunlight, and most water-based chemicals. Wonder Wrap also has a dielectric strength of 36,000 volts/mm and can withstand continuous temperatures from -40°F to 194°F.

**APPLICATIONS:** Recommended for use on air hoses, automotive hoses, water hoses, cables, electrical wires and conduits, gutters, HVAC, irrigation systems, PVC and ABS pipes, most plumbing applications, and general fastening.



## WRAP IT UP™, M/M

### Polymer-Reinforced Patching Kit

Multi-Mist Wrap It Up is like first aid for pipes. The package contains a long, narrow strip of fiberglass cloth, which is coated with an epoxy adhesive. The strip is wrapped around a pipe to form a strong, permanent patch. All-in-one kit includes everything you need for the job, including a pre-patch sealant, sandpaper, pre-measured polymer patching compound, built-in reinforced tape, and gloves, all in a foil-protected kit.



**APPLICATIONS:** Recommended for repair of aluminum, copper, fiberglass, galvanized pipe, ABS, iron pipe, PVC, steel, and stainless steel.

## Placing your order is EASY!

**Call us** – TOLL-FREE 1-877-626-8350, in USA. Monday - Friday, 8 a.m. to 5 p.m. CST.

**Fax us** – Send to 972-438-0634, in USA.

Be sure to include your name and number on the faxed document in case we need to contact you.

**Email us** – GovernmentSales@Mantek.com

[www.mantek.com/gov](http://www.mantek.com/gov)





# FACILITY MRO | COATINGS





## Application Chart

### TYPE OF COATINGS

<b>METAL COATING</b>	<b>RUSTORE™, M/M</b> Protective Coating for Metal Surfaces	<b>METAL MEDIC™</b> Polymeric Rust Converter	<b>ZINC-95™</b> Cold Galvanizing Coating	<b>RCP™ PLUS</b> Anti-Corrosion Treatment		
<b>ELECTRONIC COATING</b>	<b>CLEAR SHOT™</b> Clear Rubberized Coating	<b>ELECTRA-SEAL® PLUS</b> Moisture-Removing, Anti-Corrosion Compound				
<b>FLOOR COATING</b>	<b>FLOOR TUFF™, J/B</b> Epoxy Floor Coating	<b>CORE STRENGTH™</b> Penetrating Concrete Treatment				
<b>CONCRETE COATING</b>	<b>WATER SLIDE™</b> Water-Based Masonry for Vertical Surfaces	<b>ALERT GUARD®</b> Invisible Sign® Kit				
<b>SURFACE PREPARATION</b>	<b>MKR®</b> Chemical Descaler	<b>DERKET™</b> Chemical Cleaner and Descaler	<b>ETCH-TEC™</b> Metal Conditioning Compound	<b>METAL MEDIC™</b> Polymeric Rust Converter	<b>ONE STROKE™</b> Paint Stripper	<b>MULTI-GRIP™ II, J/B</b> Latex Primer
<b>BUILDING MAINTENANCE</b>	<b>ACOUSTI-COVER™</b> White Ceiling Tile Coating	<b>X-CON 322™ PLUS, M/M</b> Helps End Condensation on Cold Water Pipes	<b>SHEEN-15™</b> Multi-Purpose Protective Coating and Conditioner	<b>SEALSHOT™</b> Aerosol Rubberized Coating		
<b>TOP COATS</b>	<b>ACRYLITHANE™, J/B</b> High Performance Coating	<b>QUICK CLEAN™, J/B</b> Anti Graffiti/High Slip	<b>SNO-FREE™</b> Protective Coating for Snowplows, Truck Beds, Warehouse Floors			
<b>GRAFFITI CONTROL</b>	<b>OFF THE WALL™</b> Graffiti Cleaner	<b>TAG BUSTER™, M/M</b> Graffiti Wipes	<b>QUICK-CLEAN™, J/B</b> Anti Graffiti/High Slip			



## 588, U/L

### Clear Protective Coating

Ultra-Last 588 aerosol protects ferrous and nonferrous metal from rust, dust, and corrosion. It repels both fresh and salt water. It will also not affect welding processes, so its removal before machining is unnecessary.

**APPLICATIONS:** Recommended for use on auto ignition systems, batteries, electronics, seal connections, blueprints, book covers, and anywhere else a clear protective coating is needed.



## ACOUSTI-COVER™

### White Ceiling Tile Coating

Acousti-Cover aerosol eliminates expensive tile matching and replacement costs. One coat covers most age, nicotine, smoke, dust, and water stains. Requires no surface preparation and dries in minutes. Preserves acoustical properties; will not reduce sound absorption. Will not support combustion, so it maintains the rating of flame-retardant tiles. Won't warp, sag, bubble, or blister. Covers approximately 25 square feet per can.

**APPLICATIONS:** Recommended for use on all acoustical ceiling tiles in schools, offices, retail stores, governmental buildings, public buildings, transit facilities, etc.



## ACRYLITHANE™, J/B

### 2-Part Urethane Topcoat

Jones-Blair® Acrylithane is a combination acrylic urethane topcoat. When cured it resists very hot water, oils, greases, mild acids, and alkalis. Available in white, yellow, black, gray, and red.

**APPLICATIONS:** Recommended for use on wood, masonry, and most types of metal.

\* Registered trademark of Jones-Blair, Inc.



## ALERT GUARD® INVISIBLE SIGN® KIT

### Three Different Signs Available

The Alert Guard Invisible Sign is only seen when the concrete is wet. It eliminates response times, will not fade, contains no VOC's, odors, or fumes, and is easy to apply. Simply spray over the stencil where desired. Available in a 4" or 7" version as well as the International slip and fall symbol.

**APPLICATIONS:** Recommended for use in amusement parks, water parks, parking lots, steps and stairways, retail centers, stadiums, or anywhere else slipping may occur. Works only on cured and unsealed concrete.





## CLEAR SHOT™

### Clear Rubberized Coating

Clear Shot aerosol forms a clear protective coating that can be easily removed if necessary. High dielectric strength when cured, makes it ideal for exposed electrical terminals and conductors. Impervious to water, even when submerged. Will not freeze or crack in the cold. Will not sag, drip, or peel. Provides excellent abrasion resistance. Will soundproof and rustproof.

**APPLICATIONS:** Recommended for use on exposed electrical terminals and conductors, wheel wells, auto frames, underbody rocker panels, fenders, hoods, gas tanks, oil pans, heavy trucks, hoists, cranes, tractors, metal sinks, rain gutters, roofs, drain systems, air conditioner condensate pans, metal walls, metal ducts, cracks in basement walls, battery terminals and distribution caps, vending machines, and utility meters.



## CORE STRENGTH™

### Penetrating Concrete Treatment

Core Strength is a water-based penetrating water-proofing sealer for use only on concrete floors. It contains no solvents and has no harmful odors. Effective coverage after 2 coats is 100 sq ft per gallon.

**APPLICATIONS:** Recommended for use on concrete floors.



## DERKET™

### Chemical Cleaner and Descaler

Derket reduces cleanup costs by penetrating and breaking up lime deposits, scale, rust stains, and mineral sediments. Special wetting agents dissolve tough carbonates that hold deposits together. Harmless to most paints, finishes, and metals when applied as directed. Excellent for etching concrete surfaces prior to coating.

**APPLICATIONS:** Recommended for removing lime scale in cooling towers, water lines, boilers; excess thin scale concrete, cement, mortar, plaster, and lime scale from mixing trucks, metal forms, new brickwork; water scale on meters, pumps, steam lines; mineral deposits from drinking fountains; stains and discolorations on brass and copper tubing, joints, and printer's type.



## ELECTRA-SEAL® PLUS

### Moisture-Removing, Anti-Corrosion Compound

Electra-Seal Plus aerosol is a demisting compound developed to provide electrical equipment with protection against moisture and corrosion. It provides a flexible waterproof film that displaces moisture indoors and outdoors and also loosens dirt, scale, and other types of corrosion. It will not become brittle or dry out and is ideal for all electrical equipment.

**APPLICATIONS:** Recommended for use on distributors, generators, starters, coils, spark plugs, switches, controls, motors relays, transformers, connectors, line jacks, thermostats, etc.





## ETCH-TEC™

### Metal Conditioning Compound

Etch-Tec contains a special combination of solvents and detergents that degreases, cleans soils and remove oxides. It leaves a passivated surface through chemically controlled methods, microscopically etched to hold protective coatings.

**APPLICATIONS:** Recommended for use on nickel, stainless steel, iron, cadmium plate, aluminum, brass, copper, lead, and bronze. It may be used hot or cold.



## FLEXI-FILL™, U/L

### Latex Crack Filler

Ultra-Last™ Flexi-Fill provides quick, easy repair of surface cracks. It is easy to use and easy to apply. It also seals out water to avoid further damage.

**APPLICATIONS:** Recommended for cracks in concrete and asphalt.



## FLOOR-TUFF™, J/B

### 2-Part Epoxy Floor Coating (Includes Catalyst)

Jones-Blair® Floor-Tuff is a strong, attractive coating that is much easier to keep clean than bare concrete. It is resistant to lubricants, anti-freeze, acids, and alkalis. It also strengthens the concrete it has been applied to and improves the ability to withstand heavy traffic. An anti-slip aggregate can also be added where needed.

Available in: Black, Clear, Gray, Light Gray, Dark Gray, Green, Tan, Tile Red, and White.

**APPLICATIONS:** Recommended for warehouses, garages, locker rooms, and other areas where a protective floor coating is needed.

\* Registered trademark of Jones-Blair, Inc.



## METAL MEDIC™

### Polymeric Rust Converter

Metal Medic stops rust by absorbing rust cells and transforming them into a corrosion-resistant black barrier. It coats and protects converted metal surfaces to defend against new rust attack, extending equipment and metal surface life. It is also easy to use. Just brush, roll, or spray on like paint.

NSN# 6850-01-416-8020 (Qt/dz)

**APPLICATIONS:** Recommended for use on air conditioning systems, boiler rooms, cars, trucks, buses, chilled water systems, construction equipment, marine equipment, sheet metal, steel fence posts, steel fences, storage tanks, structural steel, water pipes, etc.







## METAL MEDIC™

### Polymeric Rust Converter

Metal Medic aerosol chemically converts existing rust and provides a barrier against future rust. Excellent surface preparation—helps prepare surfaces for top coating; no need to remove rust down to bright metal before applying. Easy to use, just like spray-on paint. One can covers up to 25 square feet. Water-based emulsion formula contains no petroleum solvents and is nonflammable. Unique spray-any-way system allows application in difficult-to-reach areas.

**APPLICATIONS:** Recommended for use on processing equipment, pipes, bridges, railings, fire escapes, ladders, storage tank exteriors, marine equipment, outdoor equipment, and more.



## MKR®

### Chemical Descaler

MKR has a blend of powerful cleaning agents that is transformed into an effective cleaner. Very effective for masonry surface cleanup as well as for concrete etching. MKR can also be used for dissolving scale and mineral or lime deposits. Replaces straight muriatic acid and is harmless to most paints and finishes. Removes rust and corrosion.

**APPLICATIONS:** Recommended for use on cement, masonry, cooling towers, water lines, brass and copper parts, sludge filters and pumps, boilers, heat exchangers, boats, motors, mixing trucks, brick and tile work, metal, and plastic surfaces.



FACILITY MRO  
COATINGS

## MULTI-GRIP™ 2, J/B

### Latex Primer

Jones-Blair®\* Multi-Grip 2 is a premium quality grey primer used to improve the adhesion of Acrylithane™ high performance paint to metal surfaces. It is a one part product, but like all paints should be stirred well prior to use and allowed to dry overnight prior to application of the top coat.

**APPLICATIONS:** Recommended as a primer for interior/exterior application to galvanized metal, interior/exterior masonry, metal, wood, some wallboard, and previously painted surfaces. It is not for bare steel. It can be applied by brush, roller, or sprayer.

\* Registered trademark of Jones-Blair Inc.



## OFF THE WALL™

### Concentrated Graffiti Remover

Off The Wall removes paints, crayons, lipstick, inks, and other markings from many surfaces. It is a fast, convenient way to remove difficult stains and graffiti without harming the surface.

**APPLICATIONS:** Recommended for use on porous surfaces such as concrete, stone, tile, etc. as well as smooth surfaces such as ceramics, metals, vinyl, Formica®, porcelain, etc. Always pretest an inconspicuous area before using.

\* Registered trademark of Formica Corp.





## ONE-STROKE™

### Paint Stripper

One-Stroke is a heavy-duty chemical stripper designed to strip paints, enamels, lacquers, varnishes, and shellacs from wood, metal, and masonry surfaces. It is non-corrosive to metal and contains no acids; it does contain methylene chloride. The bulk product is slightly stronger than the aerosol version.

**APPLICATIONS:** May be used on any surface that paint is to be removed. Test on inconspicuous place if working on plastics.



## RCP™ PLUS

### Anti-Corrosion Treatment and Battery Protector

RCP Plus aerosol is a blend of solvents, corrosion inhibitors, and lubricants that seal out water and moisture to protect against rust and corrosion. It is safe for use on any metal types and is ideal for use on metals in storage, in process, or in transit. It is equally effective in hot or cold temperatures. The solvent in RCP Plus evaporates after one or two minutes, leaving behind a thin oily film on the surface for corrosion protection that can last for months. Reapplication may be necessary according to the conditions that prevail.

**APPLICATIONS:** Recommended for indoor use as a corrosion preventer on tools, dies, instruments, jigs, and precision machined surfaces. Not for use on operating aircraft or in marine applications.



## RUSTORE™, M/M

### Protective Coating for Metal Surfaces

Multi-Mist™ Rustore aerosol coating protects unpainted metal surfaces against corrosion. It goes on as a liquid and dries to form a waxy coating. It is ideal for protecting spare metal parts that will be used to repair equipment. Rustore also contains a special water-displacing corrosion inhibitor to protect exposed metal surfaces from moisture and oxidation for months after the initial application.

**APPLICATIONS:** Recommended for use on any metal parts and surfaces, painted and unpainted.



## SEALSHOT™

### Rubberized Coating

Sealshot aerosol protects against moisture, rust, and corrosion. It is tough enough to use on most metal surfaces and will even withstand the impact of road gravel and flying stones. It dries to a tough, flexible, rubberized coating and provides maximum durability. Will not sag, drip, or peel. Sealshot also protects and seals to keep out moisture, salt, road chemicals, dust, and dirt. Prevents rust and corrosion from forming and will not freeze or crack in the cold. Black color helps hide soiling, it's impervious to water, and it insulates and soundproofs.

**APPLICATIONS:** Recommended for use on auto frames, basement wall cracks, condensate pans, construction equipment, cooling towers, door panels, drain systems, fenders, hoods, gas tanks, heavy trucks, hoists, cranes, metal sinks, metal walls and ducts, piping, rain gutters, roofs, vehicle undercarriages, wheel wells, and many other places and equipment.





## SHEEN-15™

### Multi-Purpose Protective Coating and Conditioner

Sheen-15 is a coating and conditioner that was developed for revitalizing dull, dingy surfaces, restoring lost color and shine, and keeping new surfaces looking new. It saves time and labor by combining two steps in one: cleaning and conditioning. Because it seals and protects against water, oxidation, and extreme temperatures, it prevents cracking, dulling, and hardening. Easy and pleasant to use, with a fresh lemon scent. Nonflammable.

**APPLICATIONS:** Recommended for use on vinyl upholstery, counters and tabletops, luggage, cabinets, tires, instrument panels, vinyl auto tops and interiors, other slightly porous surfaces (not for leather, floors, fabrics, or unsealed wood).



## SHEEN-15™

### Foaming Multi-Purpose Protective Coating and Conditioner

Sheen-15 aerosol protective coating and conditioner revitalizes dull, dingy surfaces and helps keep new ones looking new. It conditions and shines in a single step and seals and protects surfaces against water, oxidation, and extreme temperatures to prevent cracking, dulling, and hardening. It also restores lost color and shine to renew appearance of materials and furnishings. Just spray and buff. Fresh lemon scent.

**APPLICATIONS:** Recommended for use on upholstery, counters and tabletops, luggage, cabinets, tires, instrument panels vinyl auto tops and interiors, and other slightly porous surfaces.



FACILITY MRO  
COATINGS

## SNO-FREE™

### Protective Coating Release Agent

Sno-Free forms a clear, nonstaining, non-gummy coating that protects metal surfaces against rust and corrosion as it prevents sticking of snow, sand, gravel, salt, and other materials.

**APPLICATIONS:** Recommended for use on snowplows, truck beds, warehouse floors, and grounds care equipment.



## TAG BUSTER™, M/M

### Graffiti Remover Wipes

Multi-Mist™ Tag Buster wipes are shop-size towels that have a unique one-step cleaning system combining both high-quality graffiti remover formula and a highly absorbent, abrasive, yet non-scratching towel. The formulation will penetrate, loosen, break down, and dissolve spray paint and graffiti allowing the towel to absorb and hold the residues without re-depositing contaminants back onto the surface being cleaned.

**APPLICATIONS:** Can be used on hard, non porous surfaces like aluminum siding, glass, painted surfaces, signage, stainless steel, phone booths, tabletops, hallways, vinyl upholstery, lockers, elevators, vehicles, buses, and subways.





## WATER SLIDE™

### Water-Based Masonry Surface Sealer

Water Slide maintains the natural beauty of stone and other masonry surfaces while keeping the surface clean. It creates a breathable water barrier, is oil-resistant, and helps eliminate efflorescence. Even works on vertical surfaces.

**APPLICATIONS:** Recommended for sealing and preserving brick, slate, natural stone, stucco, concrete, and other masonry.



## X-CON 322™ PLUS, M/M

### Condensation Control Coating

Multi-Mist™ X-Con 322 Plus aerosol helps end condensation by controlling temperature change across the pipe or fixture surface condensation is impeded. It is a 100% water-resistant coating, that dries quickly to a clean white color and adheres to all metal surfaces.

**APPLICATIONS:** Recommended for controlling condensation formation on cold water pipes, toilets, water tanks, air conditioning ducts, valves and fittings, ceilings, and gutters on metal buildings.



## ZINC-95™

### Cold Galvanizing Coating

Zinc-95 aerosol has a highly concentrated zinc metal formulation that protects bare metal surfaces from rust and corrosion. Its galvanic barrier withstands temperatures up to 250°F. Requires no special surface preparation and dries to the touch in 10 to 15 minutes. The coating has high adhesion and remains flexible for long life and resistance to blistering and flaking. Can be used for bare metal or for re-galvanizing a surface that was originally factory or hot-dip galvanized.

**APPLICATIONS:** Recommended for use on industrial equipment, HVAC equipment, piping, agricultural equipment, chemical plants, sewage treatment facilities, grounds care equipment, fences, metal fixtures, guttering, metal roofs and buildings, steel windows, sumps, tools, touch-up on sheet metal and welds, trailers and hitches, trash receptacles and compactors, construction equipment, trucks, buses and transportation vehicles, marine equipment, and any high-moisture or high-heat operation.





